


25mg FS MCT

Batch ID: 250512-3
Type: Unit
Test: Potency
Method: TM14 (HPLC-DAD)

Test ID: T000304919
Submitted: 05/14/2025 @ 10:35 AM
Started: 5/13/2025
Reported: 5/14/2025

CANNABINOID PROFILE



CBD	5.63%
CBDa	0.00%
delta 9 THC	0.08%
THCa	0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.20	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.22	0.38	0.8
Cannabidiolic acid (CBDA)	0.23	ND	ND
Cannabidiol (CBD)	0.23	27.04	56.3
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.25	ND	ND
Cannabinolic Acid (CBNA)	0.14	0.46	1.0
Cannabinol (CBN)	0.06	0.17	0.4
Cannabigerolic acid (CBGA)	0.21	ND	ND
Cannabigerol (CBG)	0.05	0.41	0.9
Tetrahydrocannabivarinic Acid (THCVA)	0.18	ND	ND
Tetrahydrocannabivarin (THCV)	0.05	ND	ND
Cannabidivarinic Acid (CBDVA)	0.10	ND	ND
Cannabidivarin (CBDV)	0.05	0.19	0.4
Cannabichromenic Acid (CBCA)	0.08	ND	ND
Cannabichromene (CBC)	0.09	0.44	0.9
Total Cannabinoids		29.09	60.7
Total Potential THC**		0.38	0.8
Total Potential CBD**		27.04	56.3

NOTES:

of Servings = 1, Sample Weight=0.48g

* % = % (w/w) = Percent Weight of Analyte / Weight of Product
 ** Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 *** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCa * (0.877)) and
 Total CBD = CBD + (CBDA * (0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

[Signature]

Iudith Marquez
14-May-2025
3:35 PM

[Signature]

Sam Smith
14-May-2025
3:42 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc. warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02